

P R E V I E W

Interim Simulation Result

*****NOT FOR RATING**

Run: Base

NOT FOR RATING		PROJECT DETAILS	NOT FOR RATING	
Project Name: Lot 12 Narara		File Name: Mohr.PRO		
Postcode: 2250		Climate Zone: 15		
Design Option: M - L + del louvres bed				
Description: Same as L but del louvres from Bed 2, 3				

NOT FOR RATING		Client Details	NOT FOR RATING	
Client Name: Deborah & Daniel Mohr				
Phone: 0425 472 440		Fax: -		Email: debsmithy@gmail.com
Postal Address: 36 Hamilton Close Niagara Park NSW 2250				
Site Address: 12 ----- Research Road, Narara 2250, NSW			Exposure: Suburban	
Council submitted to (if known by assessor): Central Coast				

NOT FOR RATING		Assessor Details	NOT FOR RATING	
Assessor Name: Graham Hunt		Assessor No. 20127		
Phone: 02 97980516		Fax: 02 97980516		Email: gehunt@netspace.net.au
Project Code: #298		Assessment Date: 06/04/2017		Time: 16:44:31
Assessor Signature:				

CALCULATED ENERGY REQUIREMENTS*				
Heating	Cooling (sensible)	Cooling (latent)	Total Energy	Units
33.1	14.5	5.2	52.8	MJ/m ² .annum

* These energy requirements have been calculated using a standard set of occupant behaviours and so do not necessarily represent the usage pattern or lifestyle of the intended occupants. They should be used solely for the purposes of rating the building. They should not be used to infer actual energy consumption or running costs. The settings used for the simulation are shown in the building data report.

AREA-ADJUSTED ENERGY REQUIREMENTS				
Heating	Cooling (sensible)	Cooling (latent)	Total Energy	Units
29.3	12.8	4.6	46.7	MJ/m ² .annum
Floor area	conditioned:	132.5 m ²	unconditioned:	13.6 m ² garage: 0.0 m ²

BAND RESULT
7.2

Area-adjusted band score thresholds									
Band 1	Band 2	Band 3	Band 4	Band 5	Band 6	Band 7	Band 8	Band 9	Band 10
349	232	159	114	86	67	50	34	19	6